



## FRED

Collezione di poltrone e divani dalle forme geometriche e compatte. Versatili e comode, ben si adattano all'arredo di sale d'attesa sia ufficio che contract.

*Range of sofas and armchairs with compact design. FRED has soft and easily fitting seatings to satisfy almost any need in modern office and contract spaces.*



**FR001**  
Poltrona imbottita  
*Armchair, fully upholstered*




**FR001**  
Poltrona imbottita  
*Armchair, fully upholstered*




**FR002**  
Divano imbottito  
*Two-seater, fully upholstered*





## FRED

### Dimensioni | Sizes



### Descrizione tecnica | Technical specification

Struttura del sedile composta da un telaio in legno di abete, dimensioni 90 x 23 mm, con angolari di rinforzo e cinghie elastiche. Struttura dei fianchi e dello schienale in morali di legno di abete, dimensioni 45 x 45 mm, con traversi centrali di rinforzo e pannellature in faesite. Imbottitura dei fianchi in poliuretano espanso tagliato da blocco, ignifugo, densità 40 kg/m<sup>3</sup> spessore minimo 25 mm. Imbottitura dello schienale in poliuretano espanso tagliato da blocco, ignifugo, densità 25 kg/m<sup>3</sup>, spessore minimo 50 mm. Imbottitura del sedile in poliuretano espanso tagliato da blocco, ignifugo, densità 30 kg/m<sup>3</sup>, spessore 120 mm. Sedile libero e sfoderabile.

*Supporting seat frame made of solid pine wood, dim. 90x23 mm, with reinforced corners and elastic belts. Side arms and backrest frame made of solid pine wood dim. 45x45 mm, with reinforced cross section. Side arms padded with flame retardant foam, density 40 kg/m<sup>3</sup>, thickness 25 mm. Backrest padded with flame retardant foam, density 25 kg/m<sup>3</sup>, thickness 50 mm. Seating padded with flame retardant foam, density 30 kg/m<sup>3</sup>, thickness 120 mm. Loose cover for seating upholstery.*

### Normative | Standards



### Garanzia | Warranty

