

## Descrizione tecnica | Technical specification

Struttura interna del sedile e dello schienale in multistrato di faggio, pressato e curvato a caldo spessore 12 mm. Imbottitura del sedile in poliuretano espanso tagliato da blocco, ignifugo, densità 40 kg/m<sup>3</sup>, spessore 70 mm. Imbottitura dello schienale in poliuretano espanso tagliato da blocco, ignifugo, densità 25 kg/m<sup>3</sup>, spessore 25 mm. Supporto per la regolazione in altezza dello schienale da seduto in acciaio spessore 5 mm con meccanismo up down, corsa 70 mm con 8 posizioni di blocco.

Struttura interna del poggiatesta in multistrato di faggio pressato e curvato a caldo, spessore 12 mm. Imbottitura in poliuretano espanso tagliato da blocco, ignifugo, densità 25 kg/m<sup>3</sup>, spessore 25 mm. Supporti in alluminio lucidato.

1) Braccioli in alluminio lucidato con top in poliuretano integrale morbido colore nero.

2) Braccioli in poliuretano integrale morbido colore nero con struttura interna in quadro d'acciaio da 14 mm, top in multistrato di faggio, pressato e curvato a caldo spessore 6 mm, imbottitura in poliuretano espanso tagliato da blocco spessore 10 mm.

3) Braccioli regolabili 2D (altezza e traslazione avanti/indietro) con funzionamento a pulsante, corsa 90 mm, in nylon PA6 caricato al 15% con fibra vetro, colore nero. Top in poliuretano integrale morbido colore nero.

Meccanismo sincronizzato sedile/schienale a due leve in acciaio stampato, 4 posizioni di blocco, oscillazione schienale 22°, oscillazione sedile 13°, sistema di sicurezza antishock dello schienale e regolazione della tensione della molla per la taratura dell'oscillazione automatica. Traslatore sedile con molla di ritorno con corsa di 72 mm e bloccaggio in 6 posizioni tramite leva.

Base a 5 razze in nylon PA6 caricato al 30% con fibra vetro, colore nero, con anello di rinforzo in acciaio, certificata ANSI-BIFMA. Ruote in nylon Ø 50 mm frenate. Base a 4 razze in alluminio lucidato con piedini in nylon.

Seat and backrest in pressed and moulded 12 mm thick beech wood multilayer frame. Seat padding with flame retardant foam, density 40 kgs/m<sup>3</sup> and thickness 70 mm. Backrest padding with flame retardant foam, density 25 kgs/m<sup>3</sup> and thickness 25 mm. Backrest height mechanism, adjustment by the operator from sitting position, made of 5 mm thick steel plate with up and down regulation, extension 70 mm with 8 different locking positions.

Headrest with pressed moulded beech wood multilayer, thickness 12 mm. Padded with flame retardant foam, density 25 kgs/m<sup>3</sup>, thickness 25 mm, with die-cast polished aluminium supports.

1) Die cast polished aluminium armrests with soft top in black PU.

2) Inner armrests frame with steel full rod: square shaped, side 14 mm with black PU finish and top in curved multilayer beech wood frame thickness 6 mm, padded with foam 10 mm thick.

3) Black T shaped armrests in PA6 nylon with 30% fibre glass, adjustable in 2D (height and displaced forwards/backwards) by operating with pushing button. Soft top PU finish.

Synchronized mechanism made of moulded steel plate, two-levels handling, 4 locking positions, with 22° backrest and 13° seat inclination. Backrest anti shock safety system and regulation of tilting flexibility by plastic knob. Seat slider mechanism operating by spring and extension of 72 mm with 6 different locking positions, activated by side handle.

5-star base in black nylon PA6 with 30% fibre glass and central metal insert, ANSI-BIFMA tested. Black nylon pivoting auto braking castors Ø 50 mm.

4-star die-cast polished aluminium base with nylon gliders.

## Normative | Standards



## Garanzia | Warranty




## Meccanismo | Mechanism





### ME006 - ME006T


- A** Blocco/Sblocco oscillazione
- B** Regolazione in altezza del sedile
- C** Regolazione intensità oscillazione
- D** Traslazione del sedile

- A** Lock/Unlock tilting
- B** Height seat adjustable
- C** Regulation of tilting flexibility
- D** Seat adapter


	<b>Dimensioni - Size:</b> H 100 ÷ 112 Hs 42 ÷ 54 L 70 Ls 50 P 70 Box Kg: 19 Box volume m <sup>3</sup> : 0,33 Qt. x collo - Q.ty x pcs: 1	Sedile e schienale imbottiti, senza braccioli, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, without armrests, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN001SD</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN001STD</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>


	<b>Dimensioni - Size:</b> H 124 ÷ 136 Hs 42 ÷ 54 L 70 Ls 50 P 70 Box Kg: 21 Box volume m <sup>3</sup> : 0,35 Qt. x collo - Q.ty x pcs: 1	Sedile e schienale imbottiti, poggiatesta imbottito, senza braccioli, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, upholstered headrest, without armrests, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN002SD</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN002STD</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>


	<b>Dimensioni - Size:</b> H 100 ÷ 112 Hs 42 ÷ 54 Hb 64 L 70 Ls 50 P 70 Box Kg: 21 Box volume m <sup>3</sup> : 0,33 Qt. x collo - Q.ty x pcs: 1	Sedile e schienale imbottiti, braccioli regolabili 2D in nylon nero con top in PU nero, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, black nylon adjustable 2D armrests with soft PU top, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN051SR</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN051STR</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>


	<b>Dimensioni - Size:</b> H 124 ÷ 136 Hs 42 ÷ 54 Hb 64 L 70 Ls 50 P 70 Box Kg: 23 Box volume m <sup>3</sup> : 0,35 Qt. x collo - Q.ty x pcs: 1	Sedile e schienale imbottiti, poggiatesta imbottito, braccioli regolabili 2D in nylon nero con top in PU nero, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, upholstered headrest, black nylon adjustable 2D armrests with soft PU top, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN052SR</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN052STR</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>

# FUNNY

	<b>Dimensioni - Size:</b> <b>H</b> 100 ÷ 112 <b>Hs</b> 42 ÷ 54 <b>Hb</b> 64 <b>L</b> 70 <b>Ls</b> 50 <b>P</b> 70 <b>Box Kg:</b> 21 <b>Box volume m³:</b> 0,33 <b>Qt. x collo - Q.ty x pcs:</b> 1	Sedile e schienale imbottiti, braccioli in PU nero con top imbottito, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, black PU armrests with upholstered top, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN101SP</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN101STP</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>

	<b>Dimensioni - Size:</b> <b>H</b> 124 ÷ 136 <b>Hs</b> 42 ÷ 54 <b>Hb</b> 64 <b>L</b> 70 <b>Ls</b> 50 <b>P</b> 70 <b>Box Kg:</b> 23 <b>Box volume m³:</b> 0,35 <b>Qt. x collo - Q.ty x pcs:</b> 1	Sedile e schienale imbottiti, poggiatesta imbottito, braccioli in PU nero con top imbottito, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, upholstered headrest, black PU armrests with upholstered top, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN102SP</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN102STP</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>

	<b>Dimensioni - Size:</b> <b>H</b> 100 ÷ 112 <b>Hs</b> 42 ÷ 54 <b>Hb</b> 64 <b>L</b> 70 <b>Ls</b> 50 <b>P</b> 70 <b>Box Kg:</b> 21 <b>Box volume m³:</b> 0,33 <b>Qt. x collo - Q.ty x pcs:</b> 1	Sedile e schienale imbottiti, braccioli in alluminio lucidato con top in PU nero, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, polished die-cast aluminium armrests with black PU top, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN201SA</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN201STA</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>

	<b>Dimensioni - Size:</b> <b>H</b> 124 ÷ 136 <b>Hs</b> 42 ÷ 54 <b>Hb</b> 64 <b>L</b> 70 <b>Ls</b> 50 <b>P</b> 70 <b>Box Kg:</b> 23 <b>Box volume m³:</b> 0,35 <b>Qt. x collo - Q.ty x pcs:</b> 1	Sedile e schienale imbottiti, poggiatesta imbottito, braccioli in alluminio lucidato con top in PU nero, base a 5 razze Ø 700 mm in nylon nero, ruote Ø 50 mm frenate <i>Seat and back upholstered, upholstered headrest, polished die-cast aluminium armrests with black PU top, 5-star black nylon base Ø 700 mm, auto-bracking nylon castors Ø 50 mm</i>
	<b>FN202SA</b>	Meccanismo syncro cod. ME006 <i>Synchronized mechanism cod. ME006</i>
	<b>FN202STA</b>	Meccanismo syncro cod. ME006T <b>con traslatore sedile</b> <i>Synchronized mechanism cod. ME006T with seat slider</i>